GRAVOGLAS™ 2-PLEX™ - MATTE SURFACE

A strong acrylic material for outdoor use

Surface colour	Core colour	Thickness		
		1.6 mm (1/16")	3.2 mm (1/8")	**3.2 mm (1/8") ***
white	**red**	29627		
white	**blue**	29628		
white	**black**	17875	29904	**29912**
yellow	**black**	17881		
orange	**black**	29633		
orange	**white**	47230		
red	**white**	17877	29905	
apple green	**white**	17885	29906	
azure blue	**white**	17879	29907	
silver grey	**black**	17887	29908	
gold	**black**	29642	29910	
black	**white**	17873	29911	**29913**
black	**gold**	29643		

*** References in green are double-sided**

- Matte aspect. Ideal for outdoor signage and directional signs.
- High resistance to UV and scratches thanks to its thick surface.
- Recommended for deeply engraved signage.

AVAILABLE SHEET SIZES



1220 x 610 mm
48 x 24"




610 x 610 mm
24 x 24"



610 x 305 mm
24 x 12"

MATERIAL SPECIFICITIES



COMPLEMENTARY PRODUCTS

See page 76



Gravoclean

See page 82




Spacers

See page 83



Aluminium plant label holder

MATERIAL CAPABILITIES



APPLICATIONS



Legend plate



Industrial signage



Directional signage



Information plate

Sheet sizes may vary slightly. Printed colours for indication only. Cannot serve as a substitute for real material sample.

GRAVOGLAS™ 2-PLEX™ - GLOSSY SURFACE

A strong acrylic material for outdoor use

Surface colour	Core colour	Thickness	
		1.6 mm (1/16")	3.2 mm (1/8")
white	**red**	17907	18063
white	**black**	17892	18051
yellow	**black**	17901	18060
red	**white**	17895	18054
apple green	**white**	17910	18066
pine green	**white**	17918	
azure blue	**white**	17898	18057
silver grey	**black**	17930	18078
gold	**black**	17927	18075
black	**white**	17889	18048

- Glossy aspect. Ideal for outdoor signage and directional signs.
- High resistance to UV and scratches thanks to its thick surface.
- Recommended for deeply engraved signage.

AVAILABLE SHEET SIZES



1220 x 610 mm
48 x 24"




610 x 610 mm
24 x 24"



610 x 305 mm
24 x 12"

MATERIAL SPECIFICITIES



COMPLEMENTARY PRODUCTS

See page 76



Gravoclean

See page 82




Wooden support

See page 82



Screws

MATERIAL CAPABILITIES



APPLICATIONS



Professional plate



Outdoor signage



Location identification



Information label

Sheet sizes may vary slightly. Printed colours for indication only. Cannot serve as a substitute for real material sample.

GRAVOGLAS™ 2-PLEX™ - TEXTURED SURFACE

A strong acrylic material for outdoor use

Surface colour	Core colour	Thickness 1.6 mm (1/16")
white	**black**	18304
yellow	**black**	18334
red	**white**	18307
pine green	**white**	18343
azure blue	**white**	18310
silver grey	**black**	18322
black	**white**	18301

- Textured aspect. Ideal for outdoor signage and industrial applications.
- High resistance to UV, scratches and fingerprints thanks to its thick and textured surface.
- Recommended for deeply engraved signage.

AVAILABLE SHEET SIZES



1220 x 610 mm
48 x 24"




610 x 610 mm
24 x 24"



610 x 305 mm
24 x 12"

MATERIAL SPECIFICITIES



COMPLEMENTARY PRODUCTS

See page 76



Industrial Degraising Spray

See page 80




Ball chains

See page 81



S-Hook rings

MATERIAL CAPABILITIES



APPLICATIONS



Industrial signage



Indoor and outdoor signage



Security sign



Electrical identification

Sheet sizes may vary slightly. Printed colours for indication only. Cannot serve as a substitute for real material sample.

ROTARY MATERIALS

GRAVOGLAS™ 2-PLEX™ SUBSURFACE

The reverse outdoor acrylic material

MATTE

Surface colour	Core colour	Thickness	
		1.6 mm (1/16")	3.2 mm (1/8")
clear	**clear**	17941	18082
white	**clear**	17947	18086
yellow	**clear**	17956	
red	**clear**	17950	
azure blue	**clear**	17953	
silver grey	**clear**	17961	34406
black	**clear**	17944	18084

GLOSSY

Surface colour	Core colour	Thickness		
		1.6 mm (1/16")	3.2 mm (1/8")	4.8 mm (0.20")
white	**clear**		18021	18101
yellow	**clear**	18003		
red	**clear**	17997		
silver grey	**clear**	29656		
gold	**clear**	17982	18091	
black	**clear**	17991	18024	18104

COMPLEMENTARY PRODUCTS

See page 73



Gravolaque

See page 82



Wooden support

See page 82



Screws

APPLICATIONS



Outdoor signage



Small pieces



Letter cut out



Gift and decoration

- Engrave the back, so the front always protects the engraving.
- After mechanical reverse engraving, can be paint filled.
- Resists to fingerprints, scratches and UV.

AVAILABLE SHEET SIZES



1220 x 610 mm
48 x 24"




610 x 610 mm
24 x 24"




610 x 305 mm
24 x 12"

MATERIAL SPECIFICITIES



MATERIAL CAPABILITIES



ROTARY MATERIALS